

Telephone: (905) 836 0505

Stannous Chloride Powder

R-0602P

SDS Preparation Date (mm/dd/yyyy): 02/28/2016

Page 1 of 10

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: Stannous Chloride Powder

Product Code(s) : R-0602P

Recommended use of the chemical and restrictions on use

: Use as directed by manufacturer for purposes directly related to water testing.

Refer to supplier

Recommended restrictions: None known.

Chemical family : Mixture.

Name, address, and telephone number of

of the supplier: the manufacturer:

Lowry & Associates, Div. of Chem-Aquascience,

Inc.

5-1151 Gorham Street Newmarket, ON, Canada

L3Y 8Y1

Supplier's Telephone # : (905) 836-0505, Hours 09:00 to 16:30

24 Hr. Emergency Tel # : (613) 996-6666 (CANUTEC)

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

White powder. Odorless.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Skin Corrosion/Irritation - Category 1 Eye Damage/Irritation - Category 1

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

Causes severe skin burns and eye damage.



Telephone: (905) 836 0505

Stannous Chloride Powder

R-0602P

SDS Preparation Date (mm/dd/yyyy): 02/28/2016

Page 2 of 10

SAFETY DATA SHEET

Precautionary statement(s)

Do not breathe dust and fume.

Wash thoroughly after handling.

Wear protective gloves/clothing and eye/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification: Ingestion can cause irritation and corrosive action in the mouth, stomach and digestive tract.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	CAS#	Concentration (% by weight)
Stannous chloride	Tin Chloride	7772-99-8	7.00

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion :

: Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink.

Seek immediate medical attention/advice.

Inhalation : Immediately remove person to fresh air. If breathing is difficult, give oxygen by

qualified medical personnel only. If breathing has stopped, give artificial respiration.

Seek immediate medical attention/advice.

Skin contact: Wear appropriate protective equipment. Remove/Take off immediately all

contaminated clothing. Immediately flush skin with gently flowing, running water for at least 20 minutes. Do not rub area of contact. Obtain medical attention immediately. Wash contaminated clothing before reuse. Contaminated leather may require

disposal.

Eye contact : Wear appropriate protective equipment. Protect unharmed eye. If in contact with eyes,

immediately flush eyes with running water for at least 20 minutes. If contact lens is present, DO NOT delay flushing or attempt to remove the lens until flushing is done.

Obtain medical attention immediately.

Most important symptoms and effects, both acute and delayed

: Causes severe skin irritation. Symptoms may include redness, blistering, pain and swelling. Causes serious eye damage. Symptoms may include severe pain, blurred vision, redness and corrosive damage. May cause respiratory irritation. Symptoms may include sore throat, running nose and shortness of breath. Ingestion may cause severe burns to the mucous membranes of the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations and bleeding.



Telephone: (905) 836 0505

Stannous Chloride Powder

R-0602P

SDS Preparation Date (mm/dd/yyyy): 02/28/2016

Page 3 of 10

SAFETY DATA SHEET

Indication of any immediate medical attention and special treatment needed

: Immediate medical attention is required. Causes chemical burns. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

 Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical. May react with water. Use water spray with caution.

Unsuitable extinguishing media

: Use water spray with caution. Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: Not considered flammable. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Flammability classification (OSHA 29 CFR 1910.106)

: Not flammable.

Hazardous combustion products

: Hydrogen chloride ;Chlorine ;Tin oxides ;Potassium oxides.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Use water to cool fire-exposed containers. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply or any natural waterway. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

Environmental precautions

Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

Methods and material for containment and cleaning up

: Remove all sources of ignition. Ventilate area of release. Stop the spill at source if it is safe to do so. Dike for water control. Sweep up or vacuum up spillage and collect in suitable container for disposal. Notify the appropriate authorities as required.

Special spill response procedures

: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).

US CERCLA Reportable quantity (RQ): None.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling



Telephone: (905) 836 0505

Stannous Chloride Powder

R-0602P

SDS Preparation Date (mm/dd/yyyy): 02/28/2016

Page 4 of 10

SAFETY DATA SHEET

: Wear protective gloves/clothing and eye/face protection. Use only in well-ventilated areas. Do not breathe dust or fume. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from heat and flame. Keep away from incompatibles. Keep containers

tightly closed when not in use. Keep only in original container.

Conditions for safe storage : Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep

away from incompatibles. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Store in corrosion-resistant containers. Avoid contact with

aluminum.

Incompatible materials : Bromine; Sulfuric acid ;potassium permanganate ;Strong oxidizing agents.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:					
Chemical Name	ACGI	1 TLV	OSHA PEL		
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>	
Stannous chloride	2 mg/m3	N/Av	N/Av	N/Av	

Exposure controls

Ventilation and engineering measures

: Use only in well-ventilated areas. Use general or local exhaust ventilation to maintain

air concentrations below recommended exposure limits.

Respiratory protection: Respiratory protection is required if the concentrations exceed the TLV.

NIOSH-approved respirators are recommended. A self contained breathing apparatus should be used in emergency situations or instances where exposure levels are not known. Seek advice from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in

accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

Skin protection: Wear protective gloves/clothing. Advice should be sought from glove suppliers.

Wear chemically protective gloves (impervious), boots, aprons, and gauntlets to

prevent prolonged or repeated skin contact.

Eye / face protection : Wear eye/face protection. Chemical splash goggles must be worn when handling this

material. A full face shield may also be necessary.

Other protective equipment : An eyewash station and safety shower should be made available in the immediate

working area. Other equipment may be required depending on workplace standards.

General hygiene considerations

Do not breathe dust or fume. Do not ingest. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.


SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White powderOdour: No odour.Odour threshold: Not applicable.pH: Not applicable.Melting/Freezing point: Not available.

Initial boiling point and boiling range

: Not applicable.

Flash point : Not applicable.
Flashpoint (Method) : Not applicable.





Stannous Chloride Powder

R-0602P

Page 5 of 10

SDS Preparation Date (mm/dd/yyyy): 02/28/2016

SAFETY DATA SHEET

Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)

: Not applicable.

Upper flammable limit (% by vol.)

: Not applicable.

Oxidizing properties : None known.

Explosive properties : Not explosive

Vapour pressure : Not applicable.

Vapour density : Not applicable.

Relative density / Specific gravity

: 2.40

Solubility in water : Soluble.

Other solubility(ies) : Not available.

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Ap

Auto-ignition temperature : N/Ap

Decomposition temperature: Not available.

Viscosity : N/Av

Volatiles (% by weight) : Not available.

Volatile organic Compounds (VOC's)

: N/Av

Absolute pressure of container

: N/Ap

Flame projection length : N/Ap Other physical/chemical comments

: None known or reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not normally reactive.

Chemical stability : Material is stable under normal conditions.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid : Avoid heat and open flame. Keep away from incompatibles. Keep container tightly

closed when not in use.

Incompatible materials : Bromine; Sulfuric acid ;potassium permanganate ;Strong oxidizing agents.

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption

: NO



Telephone: (905) 836 0505

Stannous Chloride Powder R-0602P

SDS Preparation Date (mm/dd/yyyy): 02/28/2016

Page 6 of 10

SAFETY DATA SHEET

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

May cause severe irritation to the nose, throat and respiratory tract. Symptoms may include coughing, choking and wheezing. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.

Sign and symptoms ingestion

Harmful if swallowed. May cause severe irritation and corrosive damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns,

perforations, bleeding and eventually death.

Sign and symptoms skin : This material is classified as hazardous under U.S. OSHA regulations (29CFR

1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Skin Irritation - Category 1 Causes severe

skin burns and eye damage.

Sign and symptoms eyes : This material is classified as hazardous under U.S. OSHA regulations (29CFR

1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Eye Damage/Irritation - Category 1

Causes serious eye damage.

Potential Chronic Health Effects

Chronic skin contact with low concentrations may cause dermatitis.

Mutagenicity : Not expected to be mutagenic in humans.

Carcinogenicity : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: Not expected to have other reproductive effects.

Sensitization to material: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects: This material is classified as hazardous under U.S. OSHA regulations (29CFR

1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory) May cause respiratory irritation. Not classified as

specific target organ toxicity-repeated exposure.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

: Not available.

Toxicological data : There is no a

: There is no available data for the product itself, only for the ingredients. See below for

individual ingredient acute toxicity data. The calculated ATE values for this mixture are:

ATE oral = 5384.73 mg/kg

	LCso(4hr)	LDs	0	
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)	
Stannous chloride	N/Av	700 mg/kg	N/Av	


Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: Not expected to be harmful to aquatic organisms. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Do not allow material to contaminate ground water system.





Stannous Chloride Powder

R-0602P

SDS Preparation Date (mm/dd/yyyy): 02/28/2016

Page 7 of 10

SAFETY DATA SHEET

Ecotoxicity data:

Ingradianta	CACNI		Toxicity to Fish	
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor
Stannous chloride	7772-99-8	N/Av	N/Av	None.

<u>Ingredients</u>	CAS No	Тох	cicity to Daphnia	
		EC50 / 48h	NOEC / 21 day	M Factor
Stannous chloride	7772-99-8	N/Av	N/Av	None.

Ingredients	CAS No	Toxicity to Algae				
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor		
Stannous chloride	7772-99-8	N/Av	N/Av	None.		

Persistence and degradability

: The methods for determining biodegradability are not applicable to inorganic

substances.

Bioaccumulation potential: No data is available on the product itself.

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Stannous chloride (CAS 7772-99-8)	N/Ap	N/Ap

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal Methods of Disposal

: Handle waste according to recommendations in Section 7.

Dispose in accordance with all applicable federal, state, provincial and local

regulations.

RCRA: If this product, as supplied, becomes a waste in the United States, it may meet the


criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste

identification and disposal method.

For disposal of unused or waste material, check with local, state and federal

environmental agencies.

SECTION 14. TRANSPORTATION INFORMATION									
Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label				
TDG	None.	Not regulated.	not regulated	none	\bigotimes				





Stannous Chloride Powder

R-0602P

SDS Preparation Date (mm/dd/yyyy): 02/28/2016

Page 8 of 10

SAFETY DATA SHEET

TDG Additional information	None.				
49CFR/DOT	None.	Not regulated.	not regulated	none	\otimes
49CFR/DOT Additional information	None.				
IMDG	None.	Not regulated.	not regulated	none	\otimes
IMDG Additional information	None.				
IMDG	None.	Not regulated.	not regulated	none	\otimes
IMDG Additional information	None.				

Special precautions for user: None reported by the manufacturer.

Environmental hazards : This product does not meet the

This product does not meet the criteria for an environmentally hazardous mixture,

according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

	TSCA TSCA		CERCLA Reportable	Reportable Extremely		ec. 313, 40 CFR oxic Chemical
<u>Ingredients</u>	ts CAS# Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration	
Stannous chloride	7772-99-8	Yes	N/Ap	N/Av	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS#	California	State "Right to Know" Lists						
<u>iiigi outonto</u>		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Stannous chloride	7772-99-8	No	N/Ap	No	Yes	No	Yes	No	No



Telephone: (905) 836 0505

Stannous Chloride Powder

R-0602P

SDS Preparation Date (mm/dd/yyyy): 02/28/2016

Page 9 of 10

SAFETY DATA SHEET

Canadian Information:

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Stannous chloride	7772-99-8	231-868-0	Present	Present	(1)-260	KE-33845	Present	HSR005134

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations CSA: Canadian Standards Association DOT: Department of Transportation EPA: Environmental Protection Agency

HMIS: Hazardous Materials Identification System

HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organisation IMDG: International Maritime Dangerous Goods

Inh: Inhalation

LC: Lethal Concentration

LD: Lethal Dose MA: Massachusetts MN: Minnesota N/Ap: Not Applicable N/Av: Not Available

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PA: Pennsylvania

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System



Telephone: (905) 836 0505

Stannous Chloride Powder

R-0602P

SDS Preparation Date (mm/dd/yyyy): 02/28/2016

Page 10 of 10

SAFETY DATA SHEET

References : Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015

(Chempendium, RTECs, HSDB, INCHEM).

European Chemicals Agency, Classification Legislation, 2015

Material Safety Data Sheet from manufacturer.

OECD - The Global Portal to Information on Chemical Substances - eChemPortal,

2015.

Preparation Date (mm/dd/yyyy)

: 02/28/2016

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

Prepared for:

Lowry & Associates, Div. of Chem-Aquascience, Inc. 5-1151 Gorham Street Newmarket, ON L3Y 8Y1 www.lowryassociates.ca



Prepared by:

ICC The Compliance Center Inc.

Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Lowry & Associates, Div. of Chem-Aquascience, Inc.and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Lowry & Associates, Div. of Chem-Aquascience, Inc.expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Lowry & Associates, Div. of Chem-Aquascience, Inc.

END OF DOCUMENT