

# Bleach Reagent #3

SDS Preparation Date (mm/dd/yyyy): 01/10/2016

R-0666 Page 1 of 9

# SAFETY DATA SHEET

### **SECTION 1. IDENTIFICATION**

Product identifier used on the label				
	:	Bleach Reagent #3		
Product Code(s)	:	R-0666		
Recommended use of the c	hem	nical and restrictions on use		
	:	Use as directed by manufactur Recommended restrictions: N	er for purposes directly related to water testing. one known.	
Chemical family	:	Mixture		
Name, address, and telep of the supplier:	bho	ne number	Name, address, and telephone number of the manufacturer:	
Lowry & Associates, Div.	of	Chem-Aquascience,	Refer to supplier	
Inc.				
5-1151 Gorham Street Newmarket,ON, Canada L3Y	8Y1			
Supplier's Telephone #	:	(905) 836-0505, Hours 09:00 t	o 16:30	
24 Hr. Emergency Tel #	:	Canutec: 613-966-6666		
SECTION 2 HAZADDS H	DEN	TIFICATION		

### SECTION 2. HAZARDS IDENTIFICATION

#### **Classification of the chemical**

Clear colourless liquid. Odorless.

This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

#### Label elements

Signal Word

Not required

Hazard statement(s)

Not required

Precautionary statement(s)

Not required

#### Other hazards

Other hazards which do not result in classification: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be mildly irritating to skin, eyes and respiratory system.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	<u>CAS #</u>	Concentration (% by weight)
Water	Dihydrogen oxide	7732-18-5	50.0 - 60.0
Sodium thiosulfate	Sodium sulfate pentahydrate	10102-17-7	40.0 - 50.0

#### SECTION 4. FIRST-AID MEASURES

Description of first aid measures



#### Bleach Reagent #3

#### SDS Preparation Date (mm/dd/yyyy): 01/10/2016

R-0666 Page 2 of 9

# SAFETY DATA SHEET

Ingestion	: Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Never give anything by mouth to an unconscious person. Call a physician.
Inhalation	: If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Obtain medical attention if symptoms develop and persist.
Skin contact	: Wash off immediately with plenty of water. Remove and wash contaminated clothing before re-use. If irritation or symptoms develop, seek medical attention.
Eye contact	: Flush eyes with water for at least 20 minutes. If irritation persists, seek prompt medical attention.
Most important symptoms	nd effects, both acute and delayed
	: Direct skin contact may cause slight or mild, transient irritation. Symptoms may include redness, edema, drying defatting and cracking of the skin. Direct eye contact may cause slight or mild, transient irritation. Symptoms may include stinging and tearing. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Indication of any immedia	modical attention and analial treatment needed

Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

#### Extinguishing media

Suitable extinguishing media

: Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

#### Special hazards arising from the substance or mixture / Conditions of flammability

: Burning may produce irritating, toxic and obnoxious fumes.

Flammability classification (OSHA 29 CFR 1910.106)

: Not flammable.

Hazardous combustion products

: Carbon oxides; hydrogen sulphide ; Sulfur oxide; Sodium oxides.

#### Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

: Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Wear suitable protective equipment. Refer to protective measures listed in sections 7 and 8. Restrict access to area until completion of clean-up.

**Environmental precautions** : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. **Methods and material for containment and cleaning up** 

: Ventilate area of release. Stop spill or leak at source if safely possible. Dike for water control. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).



R-0666 Page 3 of 9

# SAFETY DATA SHEET

#### Special spill response procedures

- : Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements.
  - US CERCLA Reportable quantity (RQ): None.

#### SECTION 7. HANDLING AND STORAGE

#### Precautions for safe handling

Conditions for safe storage	:	Use only in well-ventilated areas. Wear protective equipment during handling. Avoid breathing vapours or mists. Avoid contact with eyes, skin and clothing. Keep away from extreme heat and flame. Keep away from incompatibles. Keep containers tightly closed when not in use. Wash thoroughly after handling. Store in a cool, dry, well-ventilated area. Store away from incompatible materials. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.
Incompatible materials	:	Strong acids and oxidizing agents

#### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
Chemical Name	ACGI	<u>I TLV</u>	<u>OSHA</u>	PEL
	<u>TWA</u>	<u>STEL</u>	PEL	<u>STEL</u>
Water	N/Av	N/Av	N/Av	N/Av
Sodium thiosulfate	N/Av	N/Av	N/Av	N/Av

#### **Exposure controls**

#### Ventilation and engineering measures

Respiratory protection	:	Use in a well-ventilated area. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits. If airbourne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Advice should be sought from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.
Skin protection	:	Gloves impervious to the material are recommended. Advice should be sought from glove suppliers.
Eye / face protection	:	Safety glasses with side-shields or chemical splash goggles.
Other protective equipment	:	Wear sufficient clothing to prevent skin contact. Depending on conditions of use, an impervious apron should be worn. An eyewash station and safety shower should be made available in the immediate working area.
General hygiene consideration	ons	6
	:	Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse. Handle in accordance with good industrial hygiene and safety practice.
SECTION 9. PHYSICAL A	NĽ	CHEMICAL PROPERTIES
Appearance	:	Clear liquid.
Odour	:	Odorless

Odour threshold : N/Av



R-0666 Page 4 of 9

# SAFETY DATA SHEET

рН	: 10				
Melting/Freezing point	: Not available.				
Initial boiling point and boiling range					
	: 100°C (212°F)				
Flash point	Not Applicable (Does not burn)				
Flashpoint (Method)	: N/Ap				
Evaporation rate (BuAe = 1)	: Not available.				
Flammability (solid, gas)	: Not applicable.				
Lower flammable limit (% by					
	: N/Ap				
Upper flammable limit (% by	vol.)				
	: N/Ap				
Oxidizing properties	: Not applicable				
Explosive properties	: Not applicable.				
Vapour pressure	: 17 mm Hg				
Vapour density	: 0.6				
Relative density / Specific gr	avity				
	: 1.00				
Solubility in water	: Soluble in all proportions.				
Other solubility(ies)	: Not available.				
Partition coefficient: n-octan	ol/water or Coefficient of water/oil distribution				
	: N/Av				
Auto-ignition temperature	: Not applicable.				
Decomposition temperature					
Viscosity	: Not available.				
Volatiles (% by weight)	: 50%				
Volatile organic Compounds					
	: N/Av				
Absolute pressure of contain					
	: N/Ap				
Flame projection length	: N/Ap				
Other physical/chemical com	iments				
	: None known or reported by the manufacturer.				
SECTION 10. STABILITY	AND REACTIVITY				
Reactivity	: This product is not reactive.				
Chemical stability	: Material is stable under normal conditions.				

Possibility of hazardous reaction	ons
:	No dangerous r

i oconsinty of malaraoao io		
	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Avoid contact with incompatible materials. Do not use in areas without adequate ventilation.
Incompatible materials	:	Strong acids and oxidizing agents
Hazardous decomposition	proc	ducts
		Name known, refer to be and our combustion and usto in Castion F

: None known, refer to hazardous combustion products in Section 5.

## SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:



# Bleach Reagent #3

SDS Preparation Date (mm/dd/yyyy): 01/10/2016

R-0666 Page 5 of 9

# SAFETY DATA SHEET

Routes of entry skin & eye	:	YES
Routes of entry Ingestion	:	YES
Devide a formation ality also		

Routes of exposure skin absorption : YES

**Potential Health Effects:** 

#### Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

Sign and symptoms ingestion : Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.   Sign and symptoms skin : Direct skin contact may cause slight or mild, transient irritation.   Sign and symptoms eyes : Direct eye contact may cause slight or mild, transient irritation.   Direct bio contact may cause slight or mild, transient irritation.   Direct eye contact may cause slight or mild, transient irritation.		atory irritation. Symptoms may include sore throat, running nose and th.
Sign and symptoms skinDirect skin contact may cause slight or mild, transient irritation.Sign and symptoms eyesDirect eye contact may cause slight or mild, transient irritation.	Sign and symptoms ingestior	
Sign and symptoms eyes : Direct eye contact may cause slight or mild, transient irritation.		use gastrointestinal irritation, nausea, vomiting and diarrhea.
	Sign and symptoms skin	ct may cause slight or mild, transient irritation.
Potential Chronic Health Effects	Sign and symptoms eyes	t may cause slight or mild, transient irritation.
Potential Chronic Health Enects	Potential Chronic Health Effe	
: Frequent or prolonged contact may dry the skin, leading to discomfort and dermatitis.		nged contact may dry the skin, leading to discomfort and dermatitis.
Mutagenicity : Not expected to be mutagenic in humans.	Mutagenicity	be mutagenic in humans.
Carcinogenicity : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.	Carcinogenicity	are listed as carcinogens by ACGIH, IARC, OSHA or NTP.
Reproductive effects & Teratogenicity	Reproductive effects & Terate	
: Not expected to cause reproductive effects.		ause reproductive effects.
Sensitization to material : Not expected to be a skin or respiratory sensitizer.	Sensitization to material	e a skin or respiratory sensitizer.
<b>Specific target organ effects :</b> This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).	Specific target organ effects	com 2012) and Canadian WHMIS regulations (Hazardous Products
Medical conditions aggravated by overexposure	Medical conditions aggravate	
: None known.		
Synergistic materials : Not available.	Synergistic materials	
Toxicological data :	Foxicological data	

	LC₅₀(4hr)	LD <sub>50</sub>	1
Chemical name	<u>inh, rat</u>	(Oral, rat)	(Rabbit, dermal)
Water	N/Av	>90 mL/kg	N/Av
Sodium thiosulfate	N/Av	>5000 mg/kg	N/Av

#### Other important toxicological hazards

: To the best of our knowledge, the toxicological properties of this material have not been thoroughly investigated.

### SECTION 12. ECOLOGICAL INFORMATION

:

Ecotoxicity

Not classified for hazards to the environment. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.



R-0666 Page 6 of 9

# SAFETY DATA SHEET

#### Ecotoxicity data:

Ingredients	040 N	Toxicity to Fish				
	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
Water	7732-18-5	No information available.	No information available.	Not applicable.		
Sodium thiosulfate	10102-17-7	N/Av	N/Av	None.		

Ingredients	CAS No	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
Water	7732-18-5	No information available.	No information available.	Not applicable.		
Sodium thiosulfate	10102-17-7	N/Av	N/Av	None.		

Ingredients	CAS No	То	xicity to Algae			
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor		
Water	7732-18-5	No information available.	No information available.	Not applicable.		
Sodium thiosulfate	10102-17-7	N/Av	N/Av	None.		

#### Persistence and degradability

: Not available.

#### **Bioaccumulation potential** : Not available.

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Water (CAS 7732-18-5)	N/Av	N/Av
Sodium thiosulfate (CAS 10102-17-7)	N/Av	N/Av

Mobility in soil : High water solubility indicates a high mobility in soil.

#### Other Adverse Environmental effects

: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal	: Collect and reclaim or dispose in sealed containers at licensed waste disposal site.Dispose of contents/container in accordance with local/regional/national/international regulations.
Methods of Disposal	: Dispose in accordance with all applicable federal, state, provincial and local regulations.
RCRA	: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.



R-0666 Page 7 of 9

# SAFETY DATA SHEET

#### SECTION 14. TRANSPORTATION INFORMATION Transport Regulatory Packing hazard Label **UN Number** UN proper shipping name Information Group class(es) 49CFR/DOT None. Not regulated. not regulated none 49CFR/DOT None. Additional information TDG None. Not regulated. Not none regulated TDG None. Additional information Special precautions for user : None known or reported by the manufacturer.

Environmental hazards

: See ECOLOGICAL INFORMATION, Section 12.

- Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
  - : Not available.

# **SECTION 15 - REGULATORY INFORMATION**

### **US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

Ingredients C	TSCA		CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
	CAS #	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration	
Water	7732-18-5	Yes	N/Ap	N/Av	No	No	
Sodium thiosulfate	10102-17-7	No	N/Ap	N/Av	No	No	

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: None.

#### US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	California	State "Right to Know" Lists						
	0.00#	Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Water	7732-18-5	No	N/Ap	No	No	No	No	No	No
Sodium thiosulfate	10102-17-7	No	N/Ap	No	No	No	No	No	No

#### **Canadian Information:**



R-0666 Page 8 of 9

# SAFETY DATA SHEET

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product. Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

### International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Water	7732-18-5	231-791-2	Present	Listed	Listed	KE-35400	Present	Listed
Sodium thiosulfate	10102-17-7	N/Av	Present	Present	(1)-503	KE-33989	Present	Present

### **SECTION 16. OTHER INFORMATION**

Legend :	ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations CSA: Canadian Standards Association DOT: Department of Transportation EPA: Environmental Protection Agency HMIS: Hazardous Materials Identification System HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer Inh: Inhalation LC: Lethal Concentration LD: Lethal Dose
	MN: Minnesota N/Ap: Not Applicable N/Av: Not Available NFPA: National Fire Protection Association NIOSH: National Institute of Occupational Safety and Health
	NJ: New Jersey NTP: National Toxicology Program OECD: Organisation for Economic Co-operation and Development OSHA: Occupational Safety and Health Administration
	PA: Pennsylvania PEL: Permissible exposure limit RCRA: Resource Conservation and Recovery Act RI: Rhode Island
	RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit TLV: Threshold Limit Values TWA: Time Weighted Average
References :	WHMIS: Workplace Hazardous Materials Identification System Material Safety Data Sheet from manufacturer OECD- The Global Portal to Information on Chemical Substances - eChemPortal, 2015
	Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015 (Chempendium, RTECs, HSDB, INCHEM). European Chemicals Agency, Classification Legislation, 2015
Preparation Date (mm/dd/yyyy)	01/10/2016
•	



R-0666 Page 9 of 9

# SAFETY DATA SHEET

#### Other special considerations for handling

: Provide adequate information, instruction and training for operators.

### Prepared for:

Lowry & Associates, Div. of Chem-Aquascience, Inc. 5-1151 Gorham Street Newmarket, ON L3Y 8Y1 www.lowryassociates.ca

#### Prepared by:

ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) <u>http://www.thecompliancecenter.com</u>



### DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from Lowry & Associates, Div. of Chem-Aquascience, Inc.

and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Lowry & Associates, Div. of Chem-Aquascience, Inc.

expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Lowry & Associates, Div. of Chem-Aquascience, Inc.

### END OF DOCUMENT